

GradedModules

A homalg based package for the Abelian category of finitely presented graded modules over a computable graded ring

Version 2011.10.05

October 2011

Mohamed Barakat

Markus Lange-Hegermann

Oleksandr Motsak

(this manual is still under construction)

This manual is best viewed as an HTML document. The latest version is available ONLINE at:

<http://homalg.math.rwth-aachen.de/~markus/GradedModules/chap0.html>

An OFFLINE version should be included in the documentation subfolder of the package. This package is part of the homalg-project:

<http://homalg.math.rwth-aachen.de/index.php/unreleased/gradedmodules>

Mohamed Barakat

— Email: barakat@mathematik.uni-kl.de

— Homepage: <http://www.mathematik.uni-kl.de/~barakat>

— Address: Department of Mathematics,
University of Kaiserslautern,
67653 Kaiserslautern,
Germany

Markus Lange-Hegermann

— Email: markus.lange.hegermann@rwth-aachen.de
— Homepage: <http://wwwb.math.rwth-aachen.de/~markus>
— Address: Lehrstuhl B für Mathematik, RWTH Aachen, Templer-
graben 64, 52056 Aachen, Germany

Oleksandr Motsak

— Email: motsak@mathematik.uni-kl.de
— Homepage: <http://www.mathematik.uni-kl.de/~motsak>
— Address: Department of Mathematics,
University of Kaiserslautern,
67653 Kaiserslautern,
Germany

Copyright

© 2008-2011 by Mohamed Barakat and Markus Lange-Hegermann

This package may be distributed under the terms and conditions of the GNU Public License Version 2.

Acknowledgements

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 5 |
| 2 | Installation of the GradedModules Package | 6 |
| 3 | Quick Start | 7 |
| 4 | Ring Maps | 8 |
| 4.1 | Ring Maps: Attributes | 8 |
| 4.1.1 | KernelSubobject | 8 |
| 4.2 | Ring Maps: Operations and Functions | 8 |
| 4.2.1 | SegreMap | 8 |
| 4.2.2 | PlueckerMap | 8 |
| 4.2.3 | VeroneseMap | 8 |
| 5 | GradedModules | 9 |
| 5.1 | GradedModules: Category and Representations | 9 |
| 5.2 | GradedModules: Constructors | 9 |
| 5.3 | GradedModules: Properties | 9 |
| 5.4 | GradedModules: Attributes | 9 |
| 5.4.1 | BettiDiagram (for modules) | 9 |
| 5.4.2 | CastelnuovoMumfordRegularity | 9 |
| 5.4.3 | CastelnuovoMumfordRegularityOfSheafification | 9 |
| 5.5 | LISHV: Logical Implications for GradedModules | 10 |
| 5.6 | GradedModules: Operations and Functions | 10 |
| 5.6.1 | MonomialMap | 10 |
| 5.6.2 | RandomMatrix | 10 |
| 5.6.3 | BasisOfHomogeneousPart | 11 |
| 5.6.4 | SubmoduleGeneratedByHomogeneousPart | 11 |
| 5.6.5 | RepresentationMapOfRingElement | 12 |
| 5.6.6 | RepresentationMatrixOfKoszulId | 13 |
| 5.6.7 | RepresentationMapOfKoszulId | 13 |
| 5.6.8 | KoszulRightAdjoint | 14 |
| 5.6.9 | HomogeneousPartOverCoefficientsRing | 15 |
| 6 | The Tate Resolution | 17 |
| 6.1 | The Tate Resolution: Operations and Functions | 17 |
| 6.1.1 | TateResolution | 17 |

| | | |
|----------|---|-----------|
| 7 | Examples | 21 |
| 7.1 | Betti Diagrams | 21 |
| 7.1.1 | DE-2.2 | 21 |
| 7.1.2 | DE-Code | 22 |
| 7.1.3 | Schenck-3.2 | 22 |
| 7.1.4 | Schenck-8.3 | 23 |
| 7.1.5 | Schenck-8.3.3 | 24 |
| 7.2 | Commutative Algebra | 24 |
| 7.2.1 | Saturate | 24 |
| 7.3 | Global Section Modules of the Induced Sheaves | 25 |
| 7.3.1 | Examples of the ModuleOfGlobalSections Functor and Purity Filtrations | 25 |
| 7.3.2 | Horrocks Mumford bundle | 25 |
| A | Overview of the GradedModules Package Source Code | 28 |

Chapter 1

Introduction

[hpa10]

Chapter 2

Installation of the GradedModules Package

To install this package just extract the package's archive file to the GAP `pkg` directory.

By default the GradedModules package is not automatically loaded by GAP when it is installed. You must load the package with

```
LoadPackage("GradedModules");
```

before its functions become available.

Please, send me an e-mail if you have any questions, remarks, suggestions, etc. concerning this package. Also, I would be pleased to hear about applications of this package.

Mohamed Barakat

Chapter 3

Quick Start

Chapter 4

Ring Maps

4.1 Ring Maps: Attributes

4.1.1 KernelSubobject

◇ `KernelSubobject(phi)` (method)

Returns: a homalg submodule
The kernel ideal of the ring map phi .

4.2 Ring Maps: Operations and Functions

4.2.1 SegreMap

◇ `SegreMap(R, s)` (method)

Returns: a homalg ring map

The ring map corresponding to the Segre embedding of $MultiProj(\mathbb{R})$ into the projective space according to $P(W_1) \times P(W_2) \rightarrow P(W_1 \otimes W_2)$.

4.2.2 PlueckerMap

◇ `PlueckerMap(l, n, A, s)` (method)

Returns: a homalg ring map

The ring map corresponding to the Plücker embedding of the Grassmannian $G_l(P^n(\mathbb{A})) = G_l(P(W))$ into the projective space $P(\wedge^l W)$, where $W = V^*$ is the \mathbb{A} -dual of the free module $V = \mathbb{A}^{n+1}$ of rank $n+1$.

4.2.3 VeroneseMap

◇ `VeroneseMap(n, d, A, s)` (method)

Returns: a homalg ring map

The ring map corresponding to the Veronese embedding of the projective space $P^n(\mathbb{A}) = P(W)$ into the projective space $P(S^d W)$, where $W = V^*$ is the \mathbb{A} -dual of the free module $V = \mathbb{A}^{n+1}$ of rank $n+1$.

Chapter 5

GradedModules

5.1 GradedModules: Category and Representations

5.2 GradedModules: Constructors

5.3 GradedModules: Properties

For more properties see the corresponding section (**Modules: Modules: Properties**) in the documentation of the homalg package.

5.4 GradedModules: Attributes

5.4.1 BettiDiagram (for modules)

◇ `BettiDiagram(M)` (attribute)

Returns: a homalg diagram
The Betti diagram of the homalg graded module M .

5.4.2 CastelnuovoMumfordRegularity

◇ `CastelnuovoMumfordRegularity(M)` (attribute)

Returns: a non-negative integer
The Castelnuovo-Mumford regularity of the homalg graded module M .

5.4.3 CastelnuovoMumfordRegularityOfSheafification

◇ `CastelnuovoMumfordRegularityOfSheafification(M)` (attribute)

Returns: a non-negative integer
The Castelnuovo-Mumford regularity of the sheafification of homalg graded module M .

For more attributes see the corresponding section (**Modules: Modules: Attributes**) in the documentation of the homalg package.

5.5 LISHV: Logical Implications for GradedModules

5.6 GradedModules: Operations and Functions

5.6.1 MonomialMap

◇ `MonomialMap(d , M)`

(operation)

Returns: a homalg map

The map from a free graded module onto all degree d monomial generators of the finitely generated homalg module M .

Example

```
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( R );;
gap> M := HomalgMatrix( "[ x^3, y^2, z, z, 0, 0 ]", 2, 3, S );;
gap> M := LeftPresentationWithDegrees( M, [ -1, 0, 1 ] );
<A graded non-torsion left module presented by 2 relations for 3 generators>
gap> m := MonomialMap( 1, M );
<A homomorphism of graded left modules>
gap> Display( m );
z^2,0,0,
y*z,0,0,
y^2,0,0,
x*z,0,0,
x*y,0,0,
x^2,0,0,
0, x,0,
0, y,0,
0, z,0,
0, 0,1

the map is currently represented by the above 10 x 3 matrix

(degrees of generators of target: [ -1, 0, 1 ])
```

5.6.2 RandomMatrix

◇ `RandomMatrix(S , T)`

(operation)

Returns: a homalg matrix

A random matrix between the graded source module S and the graded target module T .

Example

```
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "a,b,c";;
gap> S := GradedRing( R );;
gap> rand := RandomMatrix( S^[ 1, 2 ], S^[ 2, 3, 4 ] );
<A 2 x 3 matrix over a graded ring>
gap> Display( rand );
-3*a-b, -1,
-a^2+a*b+2*b^2-2*a*c+2*b*c+c^2, -a+c,
-2*a^3+5*a^2*b-3*b^3+3*a*b*c+3*b^2*c+2*a*c^2+2*b*c^2+c^3, -3*b^2-2*a*c-2*b*c+c^2
```

5.6.3 BasisOfHomogeneousPart

◇ `BasisOfHomogeneousPart(d, M)` (operation)

Returns: a homalg matrix

The resulting homalg matrix consists of a R -basis of the d -th homogeneous part of the finitely generated homalg S -module M , where R is the ground ring of the graded ring S with $S_0 = R$.

```

Example
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( R );;
gap> M := HomalgMatrix( "[ x^3, y^2, z, z, 0, 0 ]", 2, 3, S );;
gap> M := LeftPresentationWithDegrees( M, [ -1, 0, 1 ] );
<A graded non-torsion left module presented by 2 relations for 3 generators>
gap> m := BasisOfHomogeneousPart( 1, M );
<An unevaluated non-zero 7 x 3 matrix over a graded ring>
gap> Display( m );
x^2,0,0,
x*y,0,0,
y^2,0,0,
0, x,0,
0, y,0,
0, z,0,
0, 0,1
(homogeneous)

```

Compare with `MonomialMap` (5.6.1).

5.6.4 SubmoduleGeneratedByHomogeneousPart

◇ `SubmoduleGeneratedByHomogeneousPart(d, M)` (operation)

Returns: a homalg module

The submodule of the homalg module M generated by the image of the d -th monomial map (\rightarrow `MonomialMap` (5.6.1)), or equivalently, by the basis of the d -th homogeneous part of M .

```

Example
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( R );;
gap> M := HomalgMatrix( "[ x^3, y^2, z, z, 0, 0 ]", 2, 3, S );;
gap> M := LeftPresentationWithDegrees( M, [ -1, 0, 1 ] );
<A graded non-torsion left module presented by 2 relations for 3 generators>
gap> n := SubmoduleGeneratedByHomogeneousPart( 1, M );
<A graded left submodule given by 7 generators>
gap> Display( M );
x^3,y^2,z,
z, 0, 0

Cokernel of the map

Q[x,y,z]^(1x2) --> Q[x,y,z]^(1x3),

currently represented by the above matrix
(graded, degrees of generators: [ -1, 0, 1 ])
gap> Display( n );
x^2,0,0,

```

```
x*y,0,0,
y^2,0,0,
0, x,0,
0, y,0,
0, z,0,
0, 0,1
```

A left submodule generated by the 7 rows of the above matrix

```
(graded, degrees of generators: [ 1, 1, 1, 1, 1, 1, 1 ])
gap> N := UnderlyingObject( n );
<A graded left module presented by yet unknown relations for 7 generators>
gap> Display( N );
z, 0, 0,0, 0, 0,0,
0, z, 0,0, 0, 0,0,
0, 0, z,0, 0, 0,0,
0, 0, 0,0, -z, y,0,
x, 0, 0,0, y, 0,z,
-y,x, 0,0, 0, 0,0,
0, -y,x,0, 0, 0,0,
0, 0, 0,-y, x, 0,0,
0, 0, 0,-z, 0, x,0,
0, 0, 0,0, y*z,0,z^2,
0, 0, 0,y^2*z,0, 0,x*z^2
```

Cokernel of the map

$$Q[x,y,z]^{(1 \times 11)} \twoheadrightarrow Q[x,y,z]^{(1 \times 7)},$$

currently represented by the above matrix

```
(graded, degrees of generators: [ 1, 1, 1, 1, 1, 1, 1 ])
gap> gens := GeneratorsOfModule( N );
<A set of 7 generators of a homalg left module>
gap> Display( gens );
x^2,0,0,
x*y,0,0,
y^2,0,0,
0, x,0,
0, y,0,
0, z,0,
0, 0,1
```

a set of 7 generators given by the rows of the above matrix

5.6.5 RepresentationMapOfRingElement

◇ `RepresentationMapOfRingElement(r, M, d)`

(operation)

Returns: a homalg matrix

The graded map induced by the homogeneous degree 1 ring element r (of the underlying homalg graded ring S) regarded as a R -linear map between the d -th and the $(d+1)$ -st homogeneous part of

the graded finitely generated homalg S -module M , where R is the ground ring of the graded ring S with $S_0 = R$. The basis of both vector spaces is given by `HomogeneousPartOverCoefficientsRing` (5.6.9). The entries of the matrix presenting the map lie in the coefficients ring R .

Example

```
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( R );;
gap> x := Indeterminate( S, 1 );
x
gap> M := HomalgMatrix( "[ x^3, y^2, z, z, 0, 0 ]", 2, 3, S );;
gap> M := LeftPresentationWithDegrees( M, [ -1, 0, 1 ] );
<A graded non-torsion left module presented by 2 relations for 3 generators>
gap> m := RepresentationMapOfRingElement( x, M, 0 );
<A "homomorphism" of graded left modules>
gap> Display( m );
1,0,0,0,0,0,0,
0,1,0,0,0,0,0,
0,0,0,1,0,0,0

the graded map is currently represented by the above 3 x 7 matrix

(degrees of generators of target: [ 1, 1, 1, 1, 1, 1, 1 ])
```

5.6.6 RepresentationMatrixOfKoszulId

◇ `RepresentationMatrixOfKoszulId(d, M)`

(operation)

Returns: a homalg matrix

It is assumed that all indeterminates of the underlying homalg graded ring S are of degree 1. The output is the homalg matrix of the multiplication map $\text{Hom}(A, M_d) \rightarrow \text{Hom}(A, M_{d+1})$, where A is the Koszul dual ring of S , defined using the operation `KoszulDualRing`.

Example

```
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( R );;
gap> A := KoszulDualRing( S, "a,b,c" );;
gap> M := HomalgMatrix( "[ x^3, y^2, z, z, 0, 0 ]", 2, 3, S );;
gap> M := LeftPresentationWithDegrees( M, [ -1, 0, 1 ] );
<A graded non-torsion left module presented by 2 relations for 3 generators>
gap> m := RepresentationMatrixOfKoszulId( 0, M );
<An unevaluated 3 x 7 matrix over a graded ring>
gap> Display( m );
0,b,a,0,0,0,0,
b,a,0,0,0,0,0,
0,0,0,a,b,c,0
(homogeneous)
```

5.6.7 RepresentationMapOfKoszulId

◇ `RepresentationMapOfKoszulId(d, M)`

(operation)

Returns: a homalg map

It is assumed that all indeterminates of the underlying homalg graded ring S are of degree 1. The output is the the multiplication map $\text{Hom}(A, M_d) \rightarrow \text{Hom}(A, M_{d+1})$, where A is the Koszul dual ring of S , defined using the operation `KoszulDualRing`.

Example

```

gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( R );;
gap> A := KoszulDualRing( S, "a,b,c" );;
gap> M := HomalgMatrix( "[ x^3, y^2, z, z, 0, 0 ]", 2, 3, S );;
gap> M := LeftPresentationWithDegrees( M, [ -1, 0, 1 ] );
<A graded non-torsion left module presented by 2 relations for 3 generators>
gap> m := RepresentationMapOfKoszulId( 0, M );
<A homomorphism of graded left modules>
gap> Display( m );
a,b,0,0,0,0,0,
0,a,b,0,0,0,0,
0,0,0,a,b,c,0

the graded map is currently represented by the above 3 x 7 matrix

(degrees of generators of target: [ 1, 1, 1, 1, 1, 1, 1 ])

```

5.6.8 KoszulRightAdjoint

◇ `KoszulRightAdjoint(M, degree_lowest, degree_highest)`

(operation)

Returns: a homalg cocomplex

It is assumed that all indeterminates of the underlying homalg graded ring S are of degree 1. Compute the homalg A -cocomplex C of Koszul maps of the homalg S -module M (\rightarrow `RepresentationMapOfKoszulId` (5.6.7)) in the $[\text{degree_lowest} .. \text{degree_highest}]$. The Castelnuovo-Mumford regularity of M is characterized as the highest degree d , such that C is not exact at d . A is the Koszul dual ring of S , defined using the operation `KoszulDualRing`.

Example

```

gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( R );;
gap> A := KoszulDualRing( S, "a,b,c" );;
gap> M := HomalgMatrix( "[ x^3, y^2, z, z, 0, 0 ]", 2, 3, S );;
gap> M := LeftPresentationWithDegrees( M, [ -1, 0, 1 ], S );
<A graded non-torsion left module presented by 2 relations for 3 generators>
gap> CastelnuovoMumfordRegularity( M );
1
gap> R := KoszulRightAdjoint( M, -5, 5 );
<A cocomplex containing 10 morphisms of graded left modules at degrees
[ -5 .. 5 ]>
gap> R := KoszulRightAdjoint( M, 1, 5 );
<An acyclic cocomplex containing
4 morphisms of graded left modules at degrees [ 1 .. 5 ]>
gap> R := KoszulRightAdjoint( M, 0, 5 );
<A cocomplex containing 5 morphisms of graded left modules at degrees
[ 0 .. 5 ]>
gap> R := KoszulRightAdjoint( M, -5, 5 );
<A cocomplex containing 10 morphisms of graded left modules at degrees
[ -5 .. 5 ]>
gap> H := Cohomology( R );
<A graded cohomology object consisting of 11 graded left modules at degrees
[ -5 .. 5 ]>

```

```

gap> ByASmallerPresentation( H );
<A non-zero graded cohomology object consisting of
11 graded left modules at degrees [ -5 .. 5 ]>
gap> Cohomology( R, -2 );
<A graded zero left module>
gap> Cohomology( R, -3 );
<A graded zero left module>
gap> Cohomology( R, -1 );
<A graded cyclic torsion-free non-free left module presented by 2 relations fo\
r a cyclic generator>
gap> Cohomology( R, 0 );
<A graded non-zero cyclic left module presented by 3 relations for a cyclic ge\
nerator>
gap> Cohomology( R, 1 );
<A graded non-zero cyclic left module presented by 2 relations for a cyclic ge\
nerator>
gap> Cohomology( R, 2 );
<A graded zero left module>
gap> Cohomology( R, 3 );
<A graded zero left module>
gap> Cohomology( R, 4 );
<A graded zero left module>
gap> Display( Cohomology( R, -1 ) );
Q{a,b,c}/< b, a >

(graded, degree of generator: -3)
gap> Display( Cohomology( R, 0 ) );
Q{a,b,c}/< c, b, a >

(graded, degree of generator: -3)
gap> Display( Cohomology( R, 1 ) );
Q{a,b,c}/< b, a >

(graded, degree of generator: -1)

```

5.6.9 HomogeneousPartOverCoefficientsRing

◇ HomogeneousPartOverCoefficientsRing(d , M)

(operation)

Returns: a homalg module

The degree d homogeneous part of the graded R -module M as a module over the coefficient ring or field of R .

```

Example
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( R );;
gap> M := HomalgMatrix( "[ x, y^2, z^3 ]", 3, 1, S );;
gap> M := Subobject( M, ( 1 * S )^0 );
<A graded torsion-free (left) ideal given by 3 generators>
gap> CastelnuovoMumfordRegularity( M );
4
gap> M1 := HomogeneousPartOverCoefficientsRing( 1, M );
<A graded left vector space of dimension 1 on a free generator>
gap> gen1 := GeneratorsOfModule( M1 );

```

```

<A set consisting of a single generator of a homalg left module>
gap> Display( M1 );
Q^(1 x 1)

(graded, degree of generator: 1)
gap> M2 := HomogeneousPartOverCoefficientsRing( 2, M );
<A graded left vector space of dimension 4 on free generators>
gap> Display( M2 );
Q^(1 x 4)

(graded, degrees of generators: [ 2, 2, 2, 2 ])
gap> gen2 := GeneratorsOfModule( M2 );
<A set of 4 generators of a homalg left module>
gap> M3 := HomogeneousPartOverCoefficientsRing( 3, M );
<A graded left vector space of dimension 9 on free generators>
gap> Display( M3 );
Q^(1 x 9)

(graded, degrees of generators: [ 3, 3, 3, 3, 3, 3, 3, 3, 3 ])
gap> gen3 := GeneratorsOfModule( M3 );
<A set of 9 generators of a homalg left module>
gap> Display( gen1 );
x

a set consisting of a single generator given by (the row of) the above matrix
gap> Display( gen2 );
x^2,
x*y,
x*z,
y^2

a set of 4 generators given by the rows of the above matrix
gap> Display( gen3 );
x^3,
x^2*y,
x^2*z,
x*y*z,
x*z^2,
x*y^2,
y^3,
y^2*z,
z^3

a set of 9 generators given by the rows of the above matrix

```

Chapter 6

The Tate Resolution

6.1 The Tate Resolution: Operations and Functions

6.1.1 TateResolution

◇ `TateResolution(M, degree_lowest, degree_highest)` (operation)

Returns: a homalg cocomplex
 Compute the Tate resolution of the sheaf *M*.

```

Example
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x0..x3";;
gap> S := GradedRing( R );;
gap> A := KoszulDualRing( S, "e0..e3" );;
```

In the following we construct the different exterior powers of the cotangent bundle shifted by 1. Observe how a single 1 travels along the diagonal in the window $[-3..0]x[0..3]$.

First we start with the structure sheaf with its Tate resolution:

```

Example
gap> O := S^0;
<The graded free left module of rank 1 on a free generator>
gap> T := TateResolution( O, -5, 5 );
<An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>
gap> betti := BettiDiagram( T );
<A Betti diagram of <An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>>
gap> Display( betti );
total:  35  20  10  4  1  1  4  10  20  35  56  ?  ?  ?
-----|---|---|---|---|---|---|---|---|---|---|---|---|
  3:  35  20  10  4  1  .  .  .  .  .  .  0  0  0
  2:   *   .   .   .   .   .   .   .   .   .   .   .  0  0
  1:   *  *   .   .   .   .   .   .   .   .   .   .   .  0
  0:   *  *  *   .   .   .   .   .   1  4  10  20  35  56
-----|---|---|---|---|---|---|---|---S---|---|---|---|
twist:  -8  -7  -6  -5  -4  -3  -2  -1  0  1  2  3  4  5
-----|---|---|---|---|---|---|---|---|---|---|---|
Euler: -35 -20 -10  -4  -1  0  0  0  1  4  10  20  35  56
```

The Castelnuovo-Mumford regularity of the *underlying module* is distinguished among the list of twists by the character 'V' pointing to it. It is *not* an invariant of the sheaf (see the next diagram).

The residue class field (i.e. S modulo the maximal homogeneous ideal):

```

Example
gap> k := HomalgMatrix( Indeterminates( S ), Length( Indeterminates( S ) ), 1, S );
<A 4 x 1 matrix over a graded ring>
gap> k := LeftPresentationWithDegrees( k );
<A graded cyclic left module presented by 4 relations for a cyclic generator>

```

Another way of constructing the structure sheaf:

```

Example
gap> U0 := SyzygiesObject( 1, k );
<A graded torsion-free left module presented by yet unknown relations for 4 ge\
nerators>
gap> T0 := TateResolution( U0, -5, 5 );
<An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>
gap> betti0 := BettiDiagram( T0 );
<A Betti diagram of <An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>>
gap> Display( betti0 );
total:   35  20  10   4   1   1   4  10  20  35  56   ?   ?   ?
-----|---|---|---|---|---|---|---|---|---|---|---|---|
   3:   35  20  10   4   1   .   .   .   .   .   .   0   0   0
   2:    *   .   .   .   .   .   .   .   .   .   .   .   0   0
   1:    *   *   .   .   .   .   .   .   .   .   .   .   .   0
   0:    *   *   *   .   .   .   .   .   1   4  10  20  35  56
-----|---|---|---|---|---|---|---|---|---|---|---|
twist:  -8  -7  -6  -5  -4  -3  -2  -1   0   1   2   3   4   5
-----|---|---|---|---|---|---|---|---|---|---|
Euler: -35 -20 -10  -4  -1   0   0   0   1   4  10  20  35  56

```

The cotangent bundle:

```

Example
gap> cotangent := SyzygiesObject( 2, k );
<A graded torsion-free left module presented by yet unknown relations for 6 ge\
nerators>
gap> IsFree( UnderlyingModule( cotangent ) );
false
gap> Rank( cotangent );
3
gap> cotangent;
<A graded reflexive non-projective rank 3 left module presented by 4 relations\
for 6 generators>
gap> ProjectiveDimension( UnderlyingModule( cotangent ) );
2

```

the cotangent bundle shifted by 1 with its Tate resolution:

```

Example
gap> U1 := cotangent * S^1;
<A graded non-torsion left module presented by 4 relations for 6 generators>

```

```

gap> T1 := TateResolution( U1, -5, 5 );
<An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>
gap> betti1 := BettiDiagram( T1 );
<A Betti diagram of <An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>>
gap> Display( betti1 );
total: 120  70  36  15  4  1  6  20  45  84  140  ?  ?  ?
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
      3: 120  70  36  15  4  .  .  .  .  .  .  0  0  0
      2:  *  .  .  .  .  .  .  .  .  .  .  .  0  0
      1:  *  *  .  .  .  .  .  1  .  .  .  .  .  0
      0:  *  *  *  .  .  .  .  .  .  6  20  45  84  140
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
twist:  -8  -7  -6  -5  -4  -3  -2  -1  0  1  2  3  4  5
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
Euler: -120 -70 -36 -15 -4  0  0 -1  0  6  20  45  84  140

```

The second power U^2 of the shifted cotangent bundle $U = U^1$ and its Tate resolution:

Example

```

gap> U2 := SyzygiesObject( 3, k ) * S^2;
<A graded rank 3 left module presented by 1 relation for 4 generators>
gap> T2 := TateResolution( U2, -5, 5 );
<An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>
gap> betti2 := BettiDiagram( T2 );
<A Betti diagram of <An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>>
gap> Display( betti2 );
total: 140  84  45  20  6  1  4  15  36  70  120  ?  ?  ?
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
      3: 140  84  45  20  6  .  .  .  .  .  .  0  0  0
      2:  *  .  .  .  .  .  1  .  .  .  .  .  0  0
      1:  *  *  .  .  .  .  .  .  .  .  .  .  .  0
      0:  *  *  *  .  .  .  .  .  .  4  15  36  70  120
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
twist:  -8  -7  -6  -5  -4  -3  -2  -1  0  1  2  3  4  5
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
Euler: -140 -84 -45 -20 -6  0  1  0  0  4  15  36  70  120

```

The third power U^3 of the shifted cotangent bundle $U = U^1$ and its Tate resolution:

Example

```

gap> U3 := SyzygiesObject( 4, k ) * S^3;
<A graded free left module of rank 1 on a free generator>
gap> Display( U3 );
Q[x0,x1,x2,x3]^(1 x 1)

(graded, degree of generator: 1)
gap> T3 := TateResolution( U3, -5, 5 );
<An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>
gap> betti3 := BettiDiagram( T3 );

```

```

<A Betti diagram of <An acyclic cocomplex containing
10 morphisms of graded left modules at degrees [ -5 .. 5 ]>>
gap> Display( betti3 );
total:  56  35  20  10  4  1  1  4  10  20  35  ?  ?  ?
-----|---|---|---|---|---|---|---|---|---|---|---|---|---|
  3:   56  35  20  10  4  1  .  .  .  .  .  0  0  0
  2:    *  .  .  .  .  .  .  .  .  .  .  .  0  0
  1:    *  *  .  .  .  .  .  .  .  .  .  .  .  0
  0:    *  *  *  .  .  .  .  .  .  1  4  10  20  35
-----|---|---|---|---|---|---|---|---|---S---|---|---|---|
twist:  -8  -7  -6  -5  -4  -3  -2  -1  0  1  2  3  4  5
-----|---|---|---|---|---|---|---|---|---|---|---|---|---|
Euler: -56 -35 -20 -10  -4  -1  0  0  0  1  4  10  20  35

```

Another way to construct $U^2 = U(3 - 1)$:

Example

```

gap> u2 := GradedHom( U1, S^(-1) );
<A graded torsion-free right module on 4 generators satisfying yet unknown rel\
ations>
gap> t2 := TateResolution( u2, -5, 5 );
<An acyclic cocomplex containing
10 morphisms of graded right modules at degrees [ -5 .. 5 ]>
gap> BettiDiagram( t2 );
<A Betti diagram of <An acyclic cocomplex containing
10 morphisms of graded right modules at degrees [ -5 .. 5 ]>>
gap> Display( last );
total:  140  84  45  20  6  1  4  15  36  70  120  ?  ?  ?
-----|---|---|---|---|---|---|---|---|---|---|---|---|---|
  3:   140  84  45  20  6  .  .  .  .  .  .  0  0  0
  2:    *  .  .  .  .  .  1  .  .  .  .  .  0  0
  1:    *  *  .  .  .  .  .  .  .  .  .  .  .  0
  0:    *  *  *  .  .  .  .  .  .  .  4  15  36  70  120
-----|---|---|---|---|---|---|---|---|---S---|---|---|---|
twist:  -8  -7  -6  -5  -4  -3  -2  -1  0  1  2  3  4  5
-----|---|---|---|---|---|---|---|---|---|---|---|---|---|
Euler: -140 -84 -45 -20  -6  0  1  0  0  4  15  36  70  120

```

Chapter 7

Examples

7.1 Betti Diagrams

7.1.1 DE-2.2

Example

```
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x0,x1,x2";;
gap> S := GradedRing( R );;
gap> mat := HomalgMatrix( "[ x0^2, x1^2, x2^2 ]", 1, 3, S );
<A 1 x 3 matrix over a graded ring>
gap> M := RightPresentationWithDegrees( mat, S );
<A graded cyclic right module on a cyclic generator satisfying 3 relations>
gap> M := RightPresentationWithDegrees( mat );
<A graded cyclic right module on a cyclic generator satisfying 3 relations>
gap> d := Resolution( M );
<A right acyclic complex containing
3 morphisms of graded right modules at degrees [ 0 .. 3 ]>
gap> betti := BettiDiagram( d );
<A Betti diagram of <A right acyclic complex containing
3 morphisms of graded right modules at degrees [ 0 .. 3 ]>>
gap> Display( betti );
total: 1 3 3 1
-----
    0: 1 . . .
    1: . 3 . .
    2: . . 3 .
    3: . . . 1
-----
degree: 0 1 2 3
gap> ## we are still below the Castelnuovo-Mumford regularity, which is 3:
gap> M2 := SubmoduleGeneratedByHomogeneousPart( 2, M );
<A graded torsion right submodule given by 3 generators>
gap> d2 := Resolution( M2 );
<A right acyclic complex containing
3 morphisms of graded right modules at degrees [ 0 .. 3 ]>
gap> betti2 := BettiDiagram( d2 );
<A Betti diagram of <A right acyclic complex containing
3 morphisms of graded right modules at degrees [ 0 .. 3 ]>>
gap> Display( betti2 );
total: 3 8 6 1
```

```

-----
      2:  3 8 6 .
      3:  . . . 1
-----
degree:  0 1 2 3

```

7.1.2 DE-Code

Example

```

gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x0,x1,x2";
gap> S := GradedRing( R );
gap> mat := HomalgMatrix( "[ x0^2, x1^2 ]", 1, 2, S );
<A 1 x 2 matrix over a graded ring>
gap> M := RightPresentationWithDegrees( mat, S );
<A graded cyclic right module on a cyclic generator satisfying 2 relations>
gap> d := Resolution( M );
<A right acyclic complex containing
2 morphisms of graded right modules at degrees [ 0 .. 2 ]>
gap> betti := BettiDiagram( d );
<A Betti diagram of <A right acyclic complex containing
2 morphisms of graded right modules at degrees [ 0 .. 2 ]>>
gap> Display( betti );
total: 1 2 1
-----
      0:  1 . .
      1:  . 2 .
      2:  . . 1
-----
degree:  0 1 2
gap> m := SubmoduleGeneratedByHomogeneousPart( 2, M );
<A graded torsion right submodule given by 4 generators>
gap> d2 := Resolution( m );
<A right acyclic complex containing
2 morphisms of graded right modules at degrees [ 0 .. 2 ]>
gap> betti2 := BettiDiagram( d2 );
<A Betti diagram of <A right acyclic complex containing
2 morphisms of graded right modules at degrees [ 0 .. 2 ]>>
gap> Display( betti2 );
      2:  4 8 4
-----
degree:  0 1 2

```

7.1.3 Schenck-3.2

This is an example from Section 3.2 in [Sch03].

Example

```

gap> Qxyz := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";
gap> mmat := HomalgMatrix( "[ x, x^3 + y^3 + z^3 ]", 1, 2, Qxyz );
<A 1 x 2 matrix over an external ring>
gap> S := GradedRing( Qxyz );
gap> M := RightPresentationWithDegrees( mmat, S );
<A graded cyclic right module on a cyclic generator satisfying 2 relations>

```

```

gap> Mr := Resolution( M );
<A right acyclic complex containing
2 morphisms of graded right modules at degrees [ 0 .. 2 ]>
gap> bettiM := BettiDiagram( Mr );
<A Betti diagram of <A right acyclic complex containing
2 morphisms of graded right modules at degrees [ 0 .. 2 ]>>
gap> Display( bettiM );
total: 1 2 1
-----
      0: 1 1 .
      1: . . .
      2: . 1 1
-----
degree: 0 1 2
gap> R := GradedRing( CoefficientsRing( S ) * "x,y,z,w" );;
gap> nmat := HomalgMatrix( "[ z^2 - y*w, y*z - x*w, y^2 - x*z ]", 1, 3, R );
<A 1 x 3 matrix over a graded ring>
gap> N := RightPresentationWithDegrees( nmat );
<A graded cyclic right module on a cyclic generator satisfying 3 relations>
gap> Nr := Resolution( N );
<A right acyclic complex containing
2 morphisms of graded right modules at degrees [ 0 .. 2 ]>
gap> bettiN := BettiDiagram( Nr );
<A Betti diagram of <A right acyclic complex containing
2 morphisms of graded right modules at degrees [ 0 .. 2 ]>>
gap> Display( bettiN );
total: 1 3 2
-----
      0: 1 . .
      1: . 3 2
-----
degree: 0 1 2

```

7.1.4 Schenck-8.3

This is an example from Section 8.3 in [Sch03].

```

----- Example -----
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z,w";;
gap> S := GradedRing( R );;
gap> jmat := HomalgMatrix( "[ z*w, x*w, y*z, x*y, x^3*z - x*z^3 ]", 1, 5, S );
<A 1 x 5 matrix over a graded ring>
gap> J := RightPresentationWithDegrees( jmat );
<A graded cyclic right module on a cyclic generator satisfying 5 relations>
gap> Jr := Resolution( J );
<A right acyclic complex containing
3 morphisms of graded right modules at degrees [ 0 .. 3 ]>
gap> betti := BettiDiagram( Jr );
<A Betti diagram of <A right acyclic complex containing
3 morphisms of graded right modules at degrees [ 0 .. 3 ]>>
gap> Display( betti );
total: 1 5 6 2
-----

```

```

0: 1 . . .
1: . 4 4 1
2: . . . .
3: . 1 2 1
-----
degree: 0 1 2 3

```

7.1.5 Schenck-8.3.3

This is Exercise 8.3.3 in [Sch03].

Example

```

gap> Qxyz := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( Qxyz );;
gap> mat := HomalgMatrix( "[ x*y*z, x*y^2, x^2*z, x^2*y, x^3 ]", 1, 5, S );
<A 1 x 5 matrix over a graded ring>
gap> M := RightPresentationWithDegrees( mat, S );
<A graded cyclic right module on a cyclic generator satisfying 5 relations>
gap> Mr := Resolution( M );
<A right acyclic complex containing
3 morphisms of graded right modules at degrees [ 0 .. 3 ]>
gap> betti := BettiDiagram( Mr );
<A Betti diagram of <A right acyclic complex containing
3 morphisms of graded right modules at degrees [ 0 .. 3 ]>>
gap> Display( betti );
total: 1 5 6 2
-----
0: 1 . . .
1: . . . .
2: . 5 6 2
-----
degree: 0 1 2 3

```

7.2 Commutative Algebra

7.2.1 Saturate

Example

```

gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z";;
gap> S := GradedRing( R );;
gap> m := GradedLeftSubmodule( "x,y,z", S );
<A graded torsion-free (left) ideal given by 3 generators>
gap> I := Intersect( m^3, GradedLeftSubmodule( "x", S ) );
<A graded torsion-free (left) ideal given by 6 generators>
gap> NrRelations( I );
8
gap> Im := SubobjectQuotient( I, m );
<A graded torsion-free rank 1 (left) ideal given by 3 generators>
gap> I_m := Saturate( I, m );
<A graded principal (left) ideal of rank 1 on a free generator>
gap> Is := Saturate( I );
<A graded principal (left) ideal of rank 1 on a free generator>
gap> Assert( 0, Is = I_m );

```

7.3 Global Section Modules of the Induced Sheaves

7.3.1 Examples of the ModuleOfGlobalSections Functor and Purity Filtrations

```

Example
gap> LoadPackage( "GradedRingForHomalg" );;
gap> Qxyzt := HomalgFieldOfRationalsInDefaultCAS( ) * "x,y,z,t";;
gap> S := GradedRing( Qxyzt );;
gap>
gap> wmat := HomalgMatrix( "[ \
> x*y, y*z, z*t, 0, 0, 0, \
> x^3*z, x^2*z^2, 0, x*z^2*t, -z^2*t^2, 0, \
> x^4, x^3*z, 0, x^2*z*t, -x*z*t^2, 0, \
> 0, 0, x*y, -y^2, x^2-t^2, 0, \
> 0, 0, x^2*z, -x*y*z, y*z*t, 0, \
> 0, 0, x^2*y-x^2*t, -x*y^2+x*y*t, y^2*t-y*t^2, 0, \
> 0, 0, 0, 0, -1, 1 \
> ]", 7, 6, Qxyzt );;
gap>
gap> LoadPackage( "GradedModules" );;
gap> wmor := GradedMap( wmat, "free", "free", "left", S );;
gap> IsMorphism( wmor );;
gap> W := LeftPresentationWithDegrees( wmat, S );;
gap> HW := ModuleOfGlobalSections( W );
<A graded left module presented by yet unknown relations for 6 generators>
gap> LinearStrandOfTateResolution( W, 0, 4 );
<A cocomplex containing 4 morphisms of graded left modules at degrees
[ 0 .. 4 ]>
gap> purity_iso := IsomorphismOfFiltration( PurityFiltration( W ) );;
<A non-zero isomorphism of graded left modules>
gap> Hpurity_iso := ModuleOfGlobalSections( purity_iso );
<An isomorphism of graded left modules>
gap> ModuleOfGlobalSections( wmor );
<A homomorphism of graded left modules>
gap> NaturalMapToModuleOfGlobalSections( W );
<A homomorphism of graded left modules>

```

7.3.2 Horrocks Mumford bundle

This example computes the global sections module of the Horrocks-Mumford bundle.

```

Example
gap> LoadPackage( "GradedRingForHomalg" );;
gap> R := HomalgFieldOfRationalsInDefaultCAS( ) * "x0..x4";;
gap> S := GradedRing( R );;
gap> A := KoszulDualRing( S, "e0..e4" );;
gap> LoadPackage( "GradedModules" );;
gap> mat := HomalgMatrix( "[ \
> e1*e4, e2*e0, e3*e1, e4*e2, e0*e3, \
> e2*e3, e3*e4, e4*e0, e0*e1, e1*e2 \
> ]",
> 2, 5, A );;
<A 2 x 5 matrix over a graded ring>
gap> phi := GradedMap( mat, "free", "free", "left", A );;

```

```

gap> IsMorphism( phi );
true
gap> M := GuessModuleOfGlobalSectionsFromATateMap( 2, phi );
#I GuessModuleOfGlobalSectionsFromATateMap uses unproven assumptions.
Do not trust the result.
<A graded left module presented by yet unknown relations for 19 generators>
gap> IsPure( M );
true
gap> Rank( M );
2
gap> Display( BettiDiagram( Resolution( M ) ) );
total: 19 35 20 2
-----
      3:  4  .  .  .
      4: 15 35 20  .
      5:  .  .  .  2
-----
degree:  0  1  2  3
gap> Display( BettiDiagram( TateResolution( M, -4, 6 ) ) );
total: 37 14 10 5 2 5 10 14 37 100 210 ? ? ? ?
-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
      4: 35  4  .  .  .  .  .  .  .  .  .  0  0  0  0
      3:  *  2 10 10  5  .  .  .  .  .  .  .  0  0  0
      2:  *  *  .  .  .  .  2  .  .  .  .  .  .  0  0
      1:  *  *  *  .  .  .  .  .  5 10 10  2  .  .  0
      0:  *  *  *  *  .  .  .  .  .  .  .  4 35 100 210
-----|---|---|---|---|---|---|---|---|---|---|---|---|---|S---|
twist: -8 -7 -6 -5 -4 -3 -2 -1  0  1  2  3  4  5  6
-----
Euler: 35  2 -10 -10 -5  0  2  0 -5 -10 -10  2 35 100 210
gap> M;
<A graded reflexive rank 2 left module presented by 94 relations for 19 genera\
tors>
gap> P := ElementOfGrothendieckGroup( M );
( 2*O_{P^4} - 1*O_{P^3} - 4*O_{P^2} - 2*O_{P^1} ) -> P^4
gap> P!.DisplayTwistedCoefficients := true;
true
gap> P;
( 2*O(-3) - 10*O(-2) + 15*O(-1) - 5*O(0) ) -> P^4
gap> chi := HilbertPolynomial( M );
1/12*t^4+2/3*t^3-1/12*t^2-17/3*t-5
gap> c := ChernPolynomial( M );
( 2 | 1-h+4*h^2 ) -> P^4
gap> ChernPolynomial( M * S^3 );
( 2 | 1+5*h+10*h^2 ) -> P^4
gap> ch := ChernCharacter( M );
[ 2-t-7*t^2/2!+11*t^3/3!+17*t^4/4! ] -> P^4
gap> HilbertPolynomial( ch );
1/12*t^4+2/3*t^3-1/12*t^2-17/3*t-5
gap> List( [ -8 .. 7 ], i -> Value( chi, i ) );
[ 35, 2, -10, -10, -5, 0, 2, 0, -5, -10, -10, 2, 35, 100, 210, 380 ]
gap> HF := HilbertFunction( M );
function( t ) ... end

```

```
gap> List( [ 0 .. 7 ], HF );
[ 0, 0, 0, 4, 35, 100, 210, 380 ]
gap> IndexOfRegularity( M );
4
gap> DataOfHilbertFunction( M );
[ [ [ 4 ], [ 3 ] ], 1/12*t^4+2/3*t^3-1/12*t^2-17/3*t-5 ]
```

Appendix A

Overview of the GradedModules Package Source Code

References

- [hpa10] T. homalg project authors. *The homalg project*, 2003-2010. <http://homalg.math.rwth-aachen.de/>. 5
- [Sch03] H. Schenck. *Computational algebraic geometry*, volume 58 of *London Mathematical Society Student Texts*. Cambridge University Press, Cambridge, 2003. 22, 23, 24

Index

[GradedModules](#), [5](#)

[BasisOfHomogeneousPart](#), [11](#)

[BettiDiagram](#)
for modules, [9](#)

[CastelnuovoMumfordRegularity](#), [9](#)

[CastelnuovoMumfordRegularityOf-](#)
[Sheafification](#), [9](#)

[HomogeneousPartOverCoefficientsRing](#), [15](#)

[KernelSubobject](#), [8](#)

[KoszulRightAdjoint](#), [14](#)

[MonomialMap](#), [10](#)

[PlueckerMap](#), [8](#)

[RandomMatrix](#), [10](#)

[RepresentationMapOfKoszulId](#), [13](#)

[RepresentationMapOfRingElement](#), [12](#)

[RepresentationMatrixOfKoszulId](#), [13](#)

[SegreMap](#), [8](#)

[SubmoduleGeneratedByHomogeneousPart](#), [11](#)

[TateResolution](#), [17](#)

[VeroneseMap](#), [8](#)